

Chapter 6

POLYHYDROXYALKANOATES (PHAS) AS SCAFFOLDS FOR TISSUE ENGINEERING

E. R. Sadiku^{1,}, V. O. Fasiku², S. J. Owonubi², E. Mukwevho²,
B. A. Aderibigbe³, Y. Lemmer⁴, B. R. Abbavaram¹, B. Manjula¹,
C. Nkuna¹, M. K. Dlodlu¹, O. A. Adeyeye¹, K. Selatile¹,
G. Makgatho¹, A. S. Ndamase¹, P. N. Mabalane¹, O. Agboola^{1,5},
S. Sanni⁵, K. Varaprasad^{1,6}, J. Tippabattini^{1,7}, W. K. Kupolati⁸,
A. O. Adeboje⁸, T. Jamiru⁹, I. D. Ibrahim⁹, O. S. Adekomaya⁹,
A. A. Eze⁹, R. Dunne⁹, K. A. Aro⁹, J. Jayaramudu¹⁰,
O. O. Daramola^{1,11}, S. Periyar Selvam¹², Reshma B. Nambiar¹²,
Anand B. Perumal¹², M. J. Mochane^{1,13}, T. C. Mokhena^{1,13},
Nnamdi Iheaturu¹⁴, Ihuoma Diwe¹⁴ and Betty Chima¹⁴*

¹Institute of NanoEngineering Research (INER),

Department of Chemical, Metallurgical and Materials Engineering, Tshwane
University of Technology, Pretoria, South Africa

²Department of Biochemistry, North West University, Private Bag X2046
Mmabatho, Mafikeng Campus, South Africa

³University of Fort Hare, Department of Chemistry, Alice, South Africa

⁴Polymers and composites, material science and manufacturing, CSIR, South Africa

⁵Department of Chemical Engineering, Covenant University,
Ota, Nigeria